

**Medical Materiel Set
Post-OP/ICU Ward
Support and
Consumables
Handbook**

6545-01-527-7022

UA N309

LIN M09576

REVISED

June 2007

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared
by the U.S. Army Medical Materiel Agency,
Materiel Acquisition Directorate,
Acute Care Division,
Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343-4301/4316, or at USAMMACRM@amedd.army.mil Responses may also be mailed to:

**Commander
U.S. Army Medical Materiel Agency
MCMR-MM0-AC
1423 Sultan Drive, Suite 100
Fort Detrick, MD 21702-5001**

NOTE: CLICK ON TITLE
FOR DIRECT LINK

TABLE OF CONTENTS

<u>SECTION NO.</u>	<u>DEVICE</u>	<u>NSN</u>	<u>PAGE NO.</u>
1	<u>Blanket Hypothermia, Chillbuster</u>	(L) 6515-01-500-6087	1
2	<u>Cleaner Vacuum Electric</u>	(J) 7910-01-327-0757	5
3	<u>Compressor - Dehydrator</u>	(J) 6520-01-398-4613	9
4	<u>Defibrillator Monitor Recorder</u>	(J) 6515-01-515-4197	11
5	<u>Fluid Warming System, Belmont</u>	(J) 6515-01-465-2059	19
6	<u>Laryngoscope Set Fiber Optic W/Pelican Case</u>	(L) 6515-01-534-2369	25
7	<u>Light Head General Purpose Headband</u>	(L) 6230-01-520-3474	29
8	<u>Light Surgical Field Unit</u>	(L) 6530-01-518-9854	33
9	<u>Monitor Patient Vital Signs W/SPO²</u>	(J) 6515-01-432-2707	35
10	<u>Monitor Patient Vital Signs W/SPO²/WCAP</u>	(J) 6515-01-432-2711	43
11	<u>Otoscope & Ophthalmoscope Set</u>	(D) 6515-01-333-3165	55
12	<u>Oximeter Pulse Finger</u>	(L) 6515-01-466-0971	59
13	<u>Patient Warming Unit, Bair Hugger</u>	(J) 6530-01-463-6823	61
14	<u>Pump Intravenous Infusion 3 Channel</u>	(J) 6515-01-486-4310	65
15	<u>Refrigerator Freezer Mechanical Field Ward</u>	(J) 4110-01-425-8009	69
16	<u>Sink Unit Surgical Scrub</u>	(J) 6530-01-429-6715	71
17	<u>Suction Apparatus Surgical</u>	(J) 6515-01-435-0050	73
18	<u>Thermometer Kit, Clinical W/Case</u>	(L) 6515-01-523-9935	77
19	<u>Ultrasonic Unit Blood Flow Detection</u>	(J) 6515-01-293-5578	81
20	<u>Ventilator Volume Portable, 754M</u>	(J) 6530-01-464-0267	83

BLANKET HYPOTHERMIA, CHILLBUSTER

[TOC](#)

DISTRIBUTOR: MARKETING ASSESSMENT INC.

MANUFACTURER: THERMAL GEAR

MODEL # SERIES 8000

Distributor's PHONE: (703) 392-9344 FAX (703) 392-3803

Website: <http://www.chillbuster.com>

AAC "L" ITEM NSN 6515-01-500-6087

UA's: 3257, 3267, 5256, 5257, 5264, 5267, F308, F309


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1,650.00

The ChillBuster Blanket system is specifically designed to treat hypothermia encountered in the field, and in the pre-hospital, hospital or surgical environments.

- Features:**
1. User set temperature range of 65° to 105°F for controlled warming.
 2. 1.75-3.5 hours of operation, allowing for extended patient transport.
 3. Blanket wire heats to 105°F within 60 seconds for rapid thermal response.
 4. AC/DC converter permits the alternative of line power operation to enhance operating flexibility.
 5. Optional cigarette lighter adapter allows unlimited blanket operation during transport.
 6. Optional Blanket covers: sterile, single-use and non-sterile general use

BLANKET PATIENT HYPOTHERMIA, CHILLBUSTER





CHILLBUSTER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height in	10.5	
	Width in	11	
	Depth in	18	
Weight	lbs	10	
Operating Temperature	+14 to 113°F		
Storage Temperature	-40 to +122°F		
Humidity	15 to 90 % non-condensing		
Power Requirements	100/250VAC @47-63 HZ, Single Phase 60 watts max	External Power 12 VDC @ 5 amps, neg grnd	Internal Power source rechargeable battery 12VDC 1.75 to 3.5 hours

CONSUMABLES ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g Y/N	CONU S Ship Time, weeks
6515 015224385	Included W/NSN	Blanket – 30 in. x 60 in.	200-9103-01-00E	1	EA	\$300.00	\$300.00	ThermoGear, Inc.	N	2
6515 015221240	Included W/NSN	AC/DC Switching Power Supply	200-9110-02-00E	1	EA	\$225.00	\$225.00	ThermoGear, Inc.	N	2
6515 015221377	Included W/NSN	Carrying Bag	200-9111-01-00E	1	EA	\$135.00	\$135.00	ThermoGear, Inc.	N	2
6515 015221231	Included W/NSN	Cigarette Adapter	200-9116-00-00E	1	EA	\$60.00	\$60.00	ThermoGear, Inc.	N	2
See Resupply	Included W/NSN	Blanket Covers,		10	EA			ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	2 Operators Manuals/CDs		2	EA	N\C	N\C	ThermoGear, Inc.	N	2
Included w/NSN	Included W/NSN	1 Maintainer Manual/CD		1	EA	N\C	N\C	ThermoGear, Inc.	N	2

CONSUMABLES ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	Refri g Y/N	CONU S Ship Time, weeks
6532014980837	Blanket Covers, 25/case 30 in. x 60 in. (must specify size when ordering)	200-9112-13-00E	1	EA	\$125.00	\$125.00	ThermoGear, Inc.	N	2

CLEANER VACUUM ELECTRIC VERTICAL TANK TOC

MINUTEMAN INTERNATIONAL INC.

MODEL # L0-065

Manufacturer's PHONE: (630) 627-6900 Fax (630) 627-1130

Website: <http://www.minutemanintl.com>

AAC "W" ITEM NSN 7910-01-177-0622

AAC "J" ITEM NSN 7910-01-327-0757

**UA's: 3267, 4905, 5267, F301, F303, F308, F309, F383, F400, N301, N303, N305,
N308, N309, N310, N311, N312, N314, N503, N523, N703, N725**

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403


UNIT PRICE: \$ 1,640.47

Features: For use in the Operating Room; portable; infectious waste; lightweight with all the necessary components. Storage and Transit Conditions range in temperature from - 80 degrees F to 155 degrees F. and air pressure up to 2.47 PSI; electric comp treatment for fungus resistance; for use in removing water or fluid material from floors; will also pick up small solids or mud; brand specific end item.



CHARACTERISTICS

Dimensions	Height	38"
	Width	24"
	Length	26"
Weight		86 lbs
Cubic Ft		13.72
Operating Temperature		-80 deg F to 155F
Operating Humidity		2.47 psi
Storage Temperature		-80 deg F to 155F
Storage Humidity		2.47 psi
Power Requirements		120/130V 50 HZ 900W AC



CLEANER VACUUM ELECTRIC TANK ACCESSORIES AND CONSUMABLES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
4470014961503	Filter, Hepa Hygenic	110010	1	EA	\$435.24	\$435.24	MINUTEMAN INTL INC	N	N	2
7910015280008	Adapter, Vacuum	750081-1	1	EA	\$62.87	\$62.87	MINUTEMAN INTL INC	N	N	2
7910015280264	Brush, (Bare Floor Tool)	800603	1	EA	\$29.62	\$29.62	MINUTEMAN INTL INC	N	N	2
7910015280253	Handle, Floor (Wand Assembly)	290000	1	EA	\$24.78	\$24.78	MINUTEMAN INTL INC	N	N	2
7910015280256	Hose, Vacuum Cleaner (1 1/2" X 10')	800317	1	EA	\$47.15	\$47.15	MINUTEMAN INTL INC	N	N	2
7920015310978	Squeegee (14")	800605	1	EA	\$25.99	\$25.99	MINUTEMAN INTL INC	N	N	2
7910015280260	Vacuum, (16" Carpet & Rug Tool)	807237	1	EA	\$18.74	\$18.74	MINUTEMAN INTL INC	N	N	2

COMPRESSOR - DEHYDRATOR TOC

DEFIANCE ELECTRONICS INCORPORATED

PAC 6.7

Manufacturer's PHONE: (865) 408-0100 Fax (865) 408-0960

AAC "W" ITEM NSN 6520-01-242-2375

AAC "J" ITEM NSN 6520-01-398-4613

UA's:N301, N309,F301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$ 4,229.02

System Description: Model PAC 6.7 Compressor-Dehydrator.

The oil-less piston air compressor (PAC 6.7) is a completely portable unit with an integral drying section which automatically regenerates the drying agent, with 98% dry air put out, no matter the humidity level. The unit supplies compressed air, free of oil, moisture, and particulate matter greater than 5 microns, to operate a Dental Operating and Treatment Unit. A transit case is an integral part of the compressor, the cover of which is designed to serve as a sound suppressor and protective device during normal operation. The compressor can be rapidly placed into operation and is easily maintained. These compressors are included as part of the Operating Room assemblage to provide compressed air to run mechanical ventilators.

Figure 1. Compressor-Dehydrator



Defiance Electronics PAC 6.7 Characteristics

Dimensions	Length	31.5"
	Width	26.5"
	Height	11.75"
Power Requirements	Voltage	115-230 VAC (rewiring required)
	Frequency	50/60 Hz
	Current	14 Amps at 115 VAC 7 Amps at 230 VAC
Ambient Temperature	98% Dry Air put out, no matter the humidity level	40°F to 120°F
Normal Load		6.0 scfm at 60 psi
Capacity		6.0 scfm at 60 psi
Site requirements		20 ft. from point of use
Weight		158 lbs

Defiance Electronics PAC 6.7 Accessories and Consumables

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
4820-01-441-9240	Pressure Relief/Drain Valve	PAC6.7-001	1	EA	\$38.75	\$38.75	Defiance Electronics	Indef	N	2
6685-01-441-9747	Pressure Gauge	PAC6.7-002	1	EA	\$46.75	\$46.75	Defiance Electronics	Indef	N	2
6520-01-529-6628	Case	PAC6.7-005	1	EA	\$576.00	\$576.00	Defiance Electronics	Indef	N	2
6520-01-429-8595	Dryness Indicator	PAC6.7-020	1	EA	\$61.75	\$61.75	Defiance Electronics	Indef	N	2
6530-01-139-9371	Service Cord Set	PAC6.7-032	1	EA	\$37.25	\$37.25	Defiance Electronics	Indef	N	2
6520-01-529-6643	Air Hose, 10' w/fittings	PAC6.7-035	1	EA	\$74.50	\$74.50	Defiance Electronics	Indef	N	2
6520-01-529-6644	Filter	PAC6.7-036	1	EA	\$66.75	\$66.75	Defiance Electronics	Indef	N	2

DEFIBRILLATOR, MONITOR RECORDER TOC

ZOLL MEDICAL CORPORATION

MODEL M SERIES CCT

Manufacturer's PHONE: (978) 421 9460, FAX (978) 421-0010

Website: <http://www.zoll.com>

AAC "W" ITEM NSN 6515-01-389-6740

AAC "J" ITEM NSN 6515-01-515-4197

UA's: 2261, 2267, 2257, 3257, 3267, 5257, 5267, 9300, 9304, 9301, 9302, 9303, N301, 9306, N313, N513, N713, N308, N309, F301, F308, F309, F383

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$18,940.00

Operator Familiarization: CD-ROM is available.

System Description: The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO₂, EtCO₂, NIBP, and fully interpretive 12-lead ECG.

- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data



DEFIBRILLATOR, MONITOR RECORDER
MODEL M SERIES CCT

CHARACTERISTICS

Dimensions	Height	6.8"
	Width	10.3"
	Depth	8.2"
Weight.		13.5 lbs
Storage Temperature		-4° to 140° F, -20° to 60° C
Operating Temperature		32° to 122°F ,0° to 50° C
Humidity (no condensing)		5-95%
Power Requirements		110/220 VAC 50/60 HZ, 220/240 50 HZ,220 VA Sealed lead acid battery pack; 5 cells 2V/CELL, (WIRED IN SERIES), DC INPUT 10-29 V. 130 W

M-SERIES/CCT DEFIBRILLATOR ACCESSORIES & CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
See Resupply	Included W/NSN	XL Smart Ready Lead Acid Batteries	3	EA	8000-0686	\$180.00	\$540.00	Zoll	indef	N	2
6515015185958	Included W/NSN	Xtreme Pak II Carry Case	1	EA	8000-0501-01	\$595	\$595.00	ZOLL	indef	N	2
6515015185984	Included W/NSN	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185960	Included W/NSN	Military AC power cord w/ Ferrite	1	EA	8000-0304	\$35.00	\$35.00	Zoll	indef	N	2
6515015185967	Included W/NSN	Military EtCO ₂ cable with mainstream capnostat sensor	1	EA	8000-0410	\$1950.00	\$1950.00	Zoll	indef	N	2
6515015185970	Included W/NSN	NIBP adult cuff and hose	1	EA	8000-1654	\$29.00	\$29.00	Zoll	indef	N	2
6515015185972	Included W/NSN	Military SpO ₂ cable	1	EA	8000-0246-30	\$162.00	\$162.00	Zoll	indef	N	2
6515015185973	Included W/NSN	Military SpO ₂ adult sensor	1	EA	8000-0245	\$270.00	\$270.00	Zoll	indef	N	2
6515015185980	Included W/NSN	Military Temperature Cable and Probe	1	EA	8000-0409	\$450.00	\$450.00	Zoll	indef	N	2
6515015185982	Included W/NSN	Military universal cable	1	EA	8000-0308-30	\$135.00	\$135.00	Zoll	indef	N	2
6515015185962	Included W/NSN	Military 1 Step 12 – Lead ECG Cable	1	EA	8000-0527-30	\$319.00	\$319.00	Zoll	indef	N	2
6515015046492	Included W/NSN	M Series external paddle assembly	1	EA	8000-1010-01	\$396.00	\$396.00	Zoll	indef	N	2
6515015185995	Included W/NSN	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186027	Included W/NSN	Dep Pak – Single Patient 4 YEAR SHELF LIFE	1	EA	8000-4018-30	\$80.00	\$80.00	ZOLL	48	N	2
6515015186011	Included W/NSN	Hardigg Case w/ label	1	EA	8000-0850-30	\$980.00	\$980.00	Zoll	indef	N	2
6515015186016	Included W/NSN	1X1 Battery Charger	1	EA	8050-0022-30	\$506.00	\$506.00	Zoll	inde	N	2
6515015186021	Included W/NSN	Single Patient Use Airway Adapters (10)	1	(10s) EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015186030	Included W/NSN	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2
6515015185988	Included W/NSN	Operator's Manual	1	EA	9650-0200-01	\$20.00	\$20.00	Zoll	inde	N	2
6515015186025	Included W/NSN	Service Manual	1	EA	9650-0450-30			Zoll	inde	N	2
6515015186012	Included W/NSN	In–Service Video	1	EA	9650-0073	\$20.00	\$20.00	Zoll	inde	N	2

M-SERIES/CCT DEFIBRILLATOR CONSUMABLES (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015092908	Dep Pak – FOUR Patient 4 YEAR SHELF LIFE	1	EA	8000-4017-30	\$280.00	\$280.00	ZOLL	48	N	2
6515015186021	Single Patient Use Airway Adapters (10)	1	(10s)EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015185955	XL Smart Ready Lead Acid Battery	1	EA	8000-0686	\$180.00	\$180.00	ZOLL	48	N	2
6515015185984	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185995	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186030	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2




**DEP PAK FOUR, PATIENT
8000-4017-30**




**1X1 BATTERY CHARGER
8050-0022-30**



**XL SMART READY LEAD ACID
BATTERIES,
8000-0686**



**MILITARY UNIVERSAL CABLE,
8000-0308-30**




**5 LEAD ECG CABLE
8000-0527-30**




**M SERIES EXTERNAL PADDLE
ASSEMBLY,
8000-1010-01**




CUFF NIBP ADULT AND HOSE
8000-0654



ETCO2 CABLE WITH MAINSTREAM
CAPNOSTAT SENSOR 8000-0410



MILITARY SpO2 ADULT SENSOR
8000-0245




MILITARY SpO2 CABLE
8000-0246-30



**TEMPERATURE CABLE & PROBE
8000-0409**



**Hardigg Case w/label 8000-0850-30 CASE ONLY
ITEMS SHOWN IN THIS CASE INCLUDES THE STARTUP KIT**



**Military 1 Step 12-Lead ECG Cable
8000-0527-30**

FLUID WARMING SYSTEM TOC

BELMONT INSTRUMENT CORP

MODEL # FMS2000

PART #:903-00001B

Manufacturer's PHONE: (978) 663-0212 FAX (978) 663-0214

Website: <http://www.belmontinstrument.com>

AAC "W" ITEM NSN 6515-01-370-5019

AAC "J" ITEM NSN 6515-01-465-2059

UA's: 3267, 9300, 9304, 9303, 267B, F301, F308, F309, N301, N308, N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$18,700.00


System Description: The unit delivers blood or replacement fluid at high infusion rate for use in trauma and high blood loss surgery. The system combines a high speed fluid pump, a compact blood and fluid warmer, air detection and removal, and pressure monitoring in a 26 pound package, which mounts to an IV pole. The system is easy to use, quick to set up with nearly instantaneous infusion, and fluid heating. The line pressure control turns off pump, and alerts the Operator if the fluid line is obstructed. A single pass through the induction heater brings fluid to normothermia in seconds. The Operator controlled fluid delivery rates of 1- - 750 ml per minute at physiological temperatures.



**FLUID WARMING SYSTEM
PART # 903-00001B
NSN 6515-01-465-2059**

SIDE VIEW





3-BAG SPIKE DISPOSABLE SET
PART # 903-00006
NOT INCLUDED W/NSN

Portability:	Quick-on IV Pole Mount or Handle at top of unit.
Power:	115 volt, 15A AC, or 220-240 Volt, 7.5A AC input
Battery:	Internal, rechargeable for transport. Operates all functions without heating.
Fluid Pump:	Roller type peristaltic pump.
Heater:	Maximum applied power, 1500 watts.
Sensors:	2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
Control Computer:	Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
Display:	5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

FLUID WARMING SYSTEM PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.5 inches
	Width	7.5 inches
	Depth	12 inches
Cube		0.703 cubic feet
Weight		26 lbs
Operating Temperature Range		50° F to 89.6° F
Storage Temperature Range		5° F to 104° F
Relative Humidity (in use)		10% to 90 % non-condensing
Relative Humidity (storage)		10 % to 90 % non-condensing
Power Requirements		115 VAC 60 Hz Internal rechargeable battery (will not power heat function).
Amps		15 amps
Watts		1500 watts

FLUID WARMING SYSTEM (START-UP)

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014652059		Fluid Warming System	903-0001B	1	EA	\$18,700.00	\$18,700.00	BELLMONT INST.CORP.	N/A	N	3
		Carrying Case	603-00039	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		IV pole portable telescopic, Assembly	403-00284	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		Reservoir Support Assembly	403-00247	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, Portable T4telescopic IV Pole	403-00285	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, knob	403-00259	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		Power Cord, 120V	118-0096	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	CD ROM	Operator Manual	702-00040	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	Hard copy	Operator Manual	702-00001	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	Physically big	Service Manual	702-00046	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3

ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THE FLUID WARMING SYSTEM

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015178115	IN THE UA	3 Bag Spike Disposable Set Model 2516	903-00006	2	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

FLUID WARMING SYSTEM (RESUPPLY)

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
		Carrying Case	603-00039	1	EA	\$600.00	\$600.00	BELLMONT INST.CORP.	N/A	N	3
		IV pole portable telescopic, Assembly	403-00284	1	EA	\$270.00	\$270.00	BELLMONT INST.CORP.	N/A	N	3
		Reservoir Support Assembly	403-00247	1	EA	\$31.90	\$31.90	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, Portable Telescopic IV Pole	403-00285	1	EA	\$86.25	\$86.25	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, knob	403-00259	1	EA	\$45.36	\$45.36	BELLMONT INST.CORP.	N/A	N	3
		Power Cord, 120V	118-0096	1	EA	\$52.00	\$52.00	BELLMONT INST.CORP.	N/A	N	3
	CD ROM	Operator Manual	702-00040	1	EA	\$5.00	\$5.00	BELLMONT INST.CORP.	N/A	N	3
	Hard copy	Operator Manual	702-00001	1	EA	\$39.60	\$39.60	BELLMONT INST.CORP.	N/A	N	3
	Physically big	Service Manual	702-00046	1	EA	\$45.89	\$49.89	BELLMONT INST.CORP.	N/A	N	3
6515015178115	Require item but not incl w/NSN	3 Bag Spike Disposable Set Model 2516	903-00006	1	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

**LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC
WITH CASE**

WELCH ALLYN INCORPORATED

Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6515-01-534-2369

UA's: 2257, 3257, 5257, 5261, 5264, F309, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$ 425.00

Special Features:

- Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.
 - Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
 - Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
 - Single-piece stainless steel blades ensure blade integrity (no soldered joints).



**Laryngoscope Fiber Optic Kit
with 3 blades
NSN 6525-01-534-2369**



**Laryngoscope Fiber Optic Kit
with Pelican Case
NSN 6515-01-534-3305**



Macintosh Reusable # 3, Fiber Optic Blade
NSN 6515-01-467-3430



Handle Size C Fiber Optic Handle
NSN 6515-01-445-1082



MAC 3 Fiber Optic Blade
NSN 6515-01-445-1085



Miller # 3 Fiber Optic Blade
NSN 6515-01-519-4239

CHARACTERISTICS

Case Dimensions	Height	19 ½"
	Width	14"
	Depth	4 ¾"
Weight	9.545 lbs	
Cubic Feet	.154	
Power Requirements	Battery Operated D CELL C Cell "AA" cell required	

LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	QT Y	UI	PART #	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515-01-534-3305	FIBER OPTIC KIT W/PELICAN CASE	1	EA		\$30.37	\$30.37	WELCH ALLYN	N\A	N	2
6515-01-445-1082	"C" SIZE HANDLE	1	EA	60813	\$79.39	\$79.39	WELCH ALLYN	N\A	N	2
6515-01-467-3430	ENGLISH MACINTOSH SIZE 3	1	EA	69213	\$92.22	\$92.22	WELCH ALLYN	N\A	N	2
6515-01-519-4239	MILLER BLADE SIZE 3	1	EA	68063	\$182.59	\$182.59	WELCH ALLYN	N\A	N	2
6515-01-445-1085	MAC 3 FIBER OPTIC BLADE	1	EA	69063	\$110.00	\$110.00	WELCH ALLYN	N\A	N	2
6515-01-519-4257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.48	WELCH ALLYN	N\A	N	2
6240-01-526-9631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N\A	N	2

LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART #	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515-01-519-4257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.48	WELCH ALLYN	N\A	N	2
6240-01-526-9631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N\A	N	2

LIGHT HEAD GENERAL PURPOSE

[TOC](#)

WELCH ALLYN.

MODEL # 49020

Manufacturer's PHONE: (315) 685-4560 FAX (315) 683-3361

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6230-01-520-3474

UA's: 3267, 4901, 4905, 5267, N320, N301, N308, N309, N314, 4714, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$447.53

Features :

- Weighting less than four ounces, it's one of the most comfortable lightweight headlights available
- With a color temperature of 5500 Kelvin, this light supplies bright, white, shadow-free light allowing the end user to see tissue characteristics without distortion
- It's operating life expectancy is 10,000
- Enjoy the flexibility of operating the headlight using the direct power source or the rechargeable "belt-clip: portable power source.

Clinical Benefits

- Long operating life (10,000 hours of continuous burn)
- More energy efficient than incandescent and halogen lamps
- Cool beam is safe to touch
- Instant light (less than 100ns)
- Virtually maintenance-free operation
- No UV rays

Suggested Applications The Solid State Procedure Headlight provides ideal illumination for procedures such as minor surgery, general examinations, foreign body removal, OB/GYN applications and procedures, dermatology examinations or any procedure that requires a small, homogenous and well-defined spot.

WELCH ALLYN. SURGICAL HEADLIGHT



Technical Specifications

Spot Size Range: 1.5 to 6 inches at the working distance **Light Source:** Five-watt Solid State lamp, color temperature 5500 Kelvin, TBD Lumens, life 10,000 hours continuous burn

Working Distance: 16 inches


Battery Run-Time: One hour continuous run-time on a fully charged battery

Battery Life: Approximately 2.5 years (depending on usage)

Warranty: One-year limited warranty

CONSUMABLES ACCESSORIES STARTUP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	CONU S Ship Time, weeks
6530015225307	Included W/NSN	Carrying Case	49099	1	EA	\$193.98	\$193.98	WELCH ALLYN	2
6230015221304	Included W/NSN	Charger Only for Portable Power Source	74180	1	EA	\$37.11	\$37.11	WELCH ALLYN	2
6230015221307	Included W/NSN	Portable Power Source Only	75200	1	EA	\$154.78.	\$154.78	WELCH ALLYN	2
6230015221337	Included W/NSN	Direct Power Supply	75270	1	EA	\$50.75	\$50.75	WELCH ALLYN	2



**CARRYING CASE, PART# 49099
6530015225307**



**Portable Power Source Only
PART # 75200
6230015221307**



**DIRECT PLUG IN TRANSFORMER UNIT,
PART # 75270
6230015221337**



**CHARGER, PART # 74180
6230015221304**

LIGHT SURGICAL FIELD UNIT

TOC

FEDMEDICAL INC

MODEL # FMI-301FB

Manufacturer's PHONE: (843) 554-7004 FAX (843) 832-4343

Website: <http://www.fedmedical.com>

AAC "L" ITEM NSN 6530-01-518-9854

UA's: 2267, 4901, 4905, N308, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$6,187.16

System Description: Color-correct, shadow-free, illumination, full-sized surgical light, floor mounted, swivel light, 12V halogen bulb, 50 watt, lamp housing diameter, 11.4 inch, 6 hour back-up battery and case, for field or theater of operation use, ultra-light suspension. The base of this light is made of 14 gauge, powder coated steel and can hold 250 lbs. The lamp suspension allows fingertip control and secure, drift-free positioning.

Special Features:

Internal "smart" circuit automatically adjusts for 110-220VAC or 24VDC 62 amp hr
50,000 lux of color-correct brilliance at (1-m)

More accurate tissue differentiation and diagnosis—with 4,500 K color temperature for truer colors

27" depth of field and 5.5" field diameter


Optimized shadow reduction

Sealed light head keeps contaminants out

Quick, tool-free bulb exchange

Extremely low heat emission

Drift-free suspension



CHARACTERISTICS

Dimensions Case	Height	20"	Maximum from lens to floor 78" (198 cm)
	Width.	28"	
	Depth	34"	
Weight		120 lbs	
Cube Ft		11.01	
Operating Temperature		35°F to 130°F	
Operating Humidity		90 RH	
Storage Temperature		32°F to 150°F	
Storage Humidity		99 RH	
Power Requirements		110-220 VAC	24 VDC
Amps		55 amps	2 amps
Watts		230 watts	



BASE OF SYSTEM



HARDENED CASE

LIGHT SURGICAL FIELD UNIT ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015275566	Included W\NSN	Reusable,sterilizable light handle cover	41-2001	1	EA	\$89.25	\$89.25	Fedmedical inc.	N	N	2
6530015275501	Included W\NSN	Disposable light handle cover	41-2002	1	BX\25s	\$85.45	\$85.45	Fedmedical inc.	N	N	2
6530015275497	Included W\NSN	Bulb, 12 volt, 50 watt, Halogen	41-2010	1	EA	\$87.35	\$87.35	Fedmedical inc.	N	N	2
6530015275487	Included W\NSN	15 ft DC cord w/connector	41-2020	1	EA	\$60.75	\$60.75	Fedmedical inc.	N	N	2
6530015275490	Included W\NSN	Hardened case with foam	41-2100	1	EA	\$844.65	\$844.65	Fedmedical inc.	N	N	2
6130015263300	Included W\NSN	12 VOLT Battery, 55 amp hour	41-1002	1	EA	\$100.00	\$100.00	Fedmedical inc.	N	N	2

VITAL SIGNS MONITOR TOC

WELCH ALLYN

MODEL #: PROPAQ 206 EL W/PULSE OXIMETRY
Manufacturer's PHONE: (503)-530-7500 FAX (503)-530-4910
Website: <http://www.welchallyn.com>

AAC "W" ITEM 6515-01-465-3285

AAC "J" ITEM 6515-01-432-2707

UA's: 2257, 2261, 3257, 5267, 9300, 9302, 9303, 9306, 261A, 257A, 267A, N308,
N309, F308, F309

USAMMA POC: Equipment Acquisition Division, 301-619-4060, DSN 343-4060
UNIT PRICE: \$16,812.69

SYSTEM DESCRIPTION: Rugged, lightweight, portable vital signs monitor for field use.

TEST PERFORMED

Heart/Pulse rate
3-5 Lead ECG
Non Invasive BP
2 Channel Invasive BP
Temperature
Pulse Oximetry
Respiration


ADVANTAGES

Motion tolerant
monitoring.
Small, lightweight
Ease of use
Modular
Ruggedized
Automatic sensor
detection




Operator Familiarization: CD-ROM is available.

**PROPAQ 206 EL VITAL SIGNS MONITOR
RIGHT SIDE VIEW**





**5 LEAD ECG CABLE, WITH
ATTACHED LEAD WIRES,
(008-0313-00)**



**NIBP CUFF, ADULT STUFF W/TWIST
LOCK CONNECTOR
(008-0628-00)**



**CABLE, PULSE OXIMETRY, 8 FEET,
(008-0742-00)**




**HOSE, NIBP ADULT/PEDIATRIC,
(008-0238-00)**




AC POWER ADAPTER, (503-0054-0)




**DURASENSOR REUSABLE FINGER, SPO2,
(900-0021-00)**



NIBP CUFF KIT ADULT, (008-0324-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)



**NIBP CUFF KIT THIGH,
(008-0324-00)**



**TEMPERATURE PROBE,
(008-0230-00)**



**MILITARY REUSABLE CONTAINER
(008-0586-00)
WITH ACCESSORIES SHOWN**

**PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL
SPECIFICATIONS**

Dimensions	Height	9.6"	
	Width	8.2"	
	Depth	7.6"	
Weight		13.5 lbs	
Operating Temperature		0 to 40C degrees	
Storage Temperature		-20 to 60C degrees	
Humidity		15% to 95% non-condensing	
Power Requirements		110/208VAC +/- 10%, 50/60 HZ .06 KW	12-23 VDC

**PROPAQ 206EL MONITOR WITH PULSE OXIMETRY
(STARTUP)**

NSN	NOTES	Nomenclature	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply 10 Roll	Incl W/ NSN	Paper 3 Rolls	3	EA	See Resupply 10 Roll			Welch Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrode Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult General Purpose	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	Incl W/ NSN (must designate 5 lead)	ECG Cable, 5 lead, 10 foot, W/ 5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	008-0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
Need NSN	Incl W/ NSN	(Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2

**PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES
RESUPPLY**

NSN	Nomenclature	QT Y	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
6515015195855	Electrode Eltrocardiograph	1	30PG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	FINGER 6 PATIENTS

**PROPAQ 206EL WITH PULSE OXIMETRY CONSUMABLES
OPTIONAL ITEMS**

NSN	NOTES	Nomenclature	QT Y	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, month s	Refrig Y/N	CONUS Ship Time, weeks
7610015189142	Optional Item	Video, In-service North America (NTSC)	1	EA	810-0835-00	\$38.00	\$38.00	Welch Allyn	indef	N	2
6515012714894	Optional Item	SENSOR,SPO2,FINGER DISPOSABLE	1	24sPG	D-25	\$394.18	\$394.18	NELLCOR	indef	N	2

MONITOR VITAL SIGNS W/SPO²/CAPNOGRAPHY TOC

WELCH ALLYN

MODEL#: PROPAQ 206EL MONITOR W/SPO₂ AND CAPNOGRAPHY

(Side stream, mainstream or dual)

Manufacturer's PHONE: (503) 530-7500 FAX: (503) 530-4910

Website: <http://www.welchallyn.com>

AAC "W" NSN 6515-01-465-3289

AAC "J" NSN 6515-01-432-2711

**UA's: 2267, 3267, 267B, 905A, 912A, N301, N308, N309, N432, F301, F308, F309,
F383**

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060

UNIT PRICE: SPO², Capnography (Sidestream, mainstream or dual \$10,548)

System Description: Rugged, lightweight, portable vital signs monitor for field use

TEST PERFORMED

Heart/Pulse rate 3-5 Lead ECG Non Invasive BP 2 Channel Invasive BP Temperature Pulse Oximetry Respiration

ADVANTAGES


Motion tolerant monitoring. Small, lightweight Ease of use Modular Ruggedized Automatic sensor detection

PROPAQ 206 EL VITAL SIGNS MONITOR FRONTAL VIEW




Operator Familiarization: CD-ROM is available.

PROPAQ 206 EL VITAL SIGNS MONITOR LEFT SIDE VIEW



**PROPAQ 206 EL VITAL SIGNS MONITOR
RIGHT SIDE VIEW**





**ECG CABLE, 5 LEAD,
(008-0313-00)**



NIBP CUFF, ADULT (008-0628-00)



**CABLE, PULSE OXIMETRY, 8 FEET,
(008-0742-00)**




**HOSE, NIBP ADULT/PEDIATRIC,
(008-0238-00)**




AC POWER ADAPTER, (503-0054-00)




**DURASENSOR REUSABLE FINGER, SPO₂,
(900-0021-00)**



NIBP CUFF KIT ADULT, (008-0324-00)




NIBP CUFF KIT PEDIATRIC, (008-0324-00)




**KIT NIBP CUFF THIGH,
(008-0324-00)**



TEMPERATURE PROBE, (008-0230-00)



**SIDE STREAM CANNULA CO² W/WATER TRAP
ADULT (008-0769-00)
CHILD (008-0770-00)**



**CO² Sensor Airway Adapter with 10' cable
008-0502-00**

**CO² Airway Adapters Single Pt use for Mainstream only
008-0367-00**



**MILITARY REUSABLE CONTAINER
(008-0586-00)
WITH ACCESSORIES SHOWN**

PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"
	Width	8.2"
	Depth	7.6"
Weight		13.5 lbs
Operating Temperature		0° to 40°C degrees
Storage Temperature		-20° to 60°C degrees
Humidity non-condensing		15% to 95%
Power Requirements		110/208VAC=/\pm 10%, 50/60 HZ .06 KW 12-23 VDC

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply 10 Rolls	Incl W/ NSN	Paper 3 Rolls	3	EA	See Resupply 10 Roll			Welch Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrodes Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	(must designate 5 lead) Incl W/ NSN	ECG Cable, 5 lead, 10 foot, W/ 5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	Keep old #008-0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
NEED NSN	Incl W/ NSN	Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2
6515015224095	INCL. W/NSN	Adult Nasal Cannula w/SamplingLine and Water trap	1	EA	008-0769-00	\$317.00	\$317.00	Welch Allyn	Indef	N	2
6515 014755511	INCL. W/NSN	CO2 Sensor Airway Adapter with 10' cable	1	EA	008-0502-00	\$1899.45	\$1899.45	Welch Allyn	Indef	N	2
6515014468319	INCL. W/NSN	Adapter CO ² Airway Patient Vital Signs Monitor Adult/Pediatric	1	EA	008-0132-00	\$144.05	\$144.05	Welch Allyn	Indef	N	2
6515 014989984	INCL. W/NSN	Cable Temperature 10' Ext, For Reusable Temp Probe	1	EA	008-0235-00	\$49.98	\$49.98	Welch Allyn	Indef	N	2
6515015193763	INCL W/NSN	Probe, Temperature, Reusable, Adult General Purpose	1	EA	008-230-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
6515 015195855	Electrodes Electrocardiograph	1	30pg	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	FINGER 6 PATIENTS
6515014470079	Adapter airway CO ² single PT USE low dead space	1	10/pg	008-0263-00	\$163.25	\$163.25	Welch Allyn	indef	N	2	

The Propaq 206 monitors are shipped complete with adult, pediatric, and neonatal monitoring capability. The monitor includes 3 or 5 lead ECG (user specified), NIBP, 2 IBP, 2 TEMP, Respiration and Nellcor SpO₂. Includes a 3 year warranty.

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY OPTIONAL ADDITIONAL ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515012714894	Optional	Sensor ,SPO ₂ ,Finger Disposable	D-25	01	EA	\$394.18	\$394.18	NELLCOR	indef	N	2
6515014466260	Optional	CO ² Sensor Airway Adapter w/10 ft cable for Mainstream	008-0130-01	01	EA	\$2,016.63	\$2,016.63	Welch Allyn	N	N	2
6515 015224081	Optional	CO ₂ Airway Adapters, Multi-use Adult/Peds	008-0261-00	01	EA	\$691.95	\$691.95	Welch Allyn	N	N	2
6515 014470079	Optional	CO ₂ Airway Adapters, Single PT Use Low Deadspace	008-0263-00	01	EA	\$343.72	\$343.72	Welch Allyn	N	N	2
6515 015224101	Optional	Pediatric Nasal Cannula w/Sampling Line and Water trap	008-0770-00	01	EA	\$328.00	\$328.00	Welch Allyn	N	N	2
6515 015224084	Optional	CO ₂ Airway Adapters Single Pt use for Mainstream only	008-0367-00	01	EA	\$288.00	\$288.00	Welch Allyn	N	N	2
6515013960711	Optional	Paper EKG 100 ft yd L X 60MM w/100 rolls	008-0040-99	01	EA	\$271.35	271.35	Welch Allyn	N	N	2
6515014346106	Optional	Cable Monitoring Set Arterial Pressure Reusable 15 ft	42661-04	01	EA	\$118.58	\$118.58	Abbott	N	N	2
6515014341421	Optional	Monitoring Set Arterial Pressure Sterile /20s	42589-05	02	PG	\$871.81	\$1,743.62	Abbott	N	N	2

OTOSCOPE & OPHTHALMOSCOPE SET TOC

WELCH ALLYN

MODEL 92821

Manufacturer's PHONE: (503) 530-7500 FAX (503) 526-4919

Website: <http://www.welchallyn.com>

AAC "L" NSN 6515-01-333-3165

UA's: 2256, 2265, 2264, 3261, 3264, 3267, 4268, 4901, 4902, 5256, 5261, 5265, 5267, 7051, 7054, N301, N308, N309, N310, N311, N313, N315, N316, N320, N713, F301, F308, F309, F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$230.58

Features:

- 2.5V Pocket Scope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution.
 - 2.5V Otoscope also has built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification.
 - 2.5V Pocket Scope handle has a smooth rheostat to control light intensity and features a handy pocket clip.



ACCESSORIES PACKAGE START-UP

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	INCLUDED WITH NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2
6545015190982	INCLUDED WITH NSN	CASE SOFT ZIPPER F/POCKETSCOPE	1	EA	05928-U	\$12.00	\$12.00	WELCH/ALLYN	indef	N	2

CONSUMABLES/ OPTIONAL/RESUPPLY

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6135009857845		BATTERY NONRECHARGEABLE ALKALINE 1.5V 1 YEAR SHELF LIFE 24S, AA CELL	1	PG	20-0571-1988 NEDA 15A	\$4.78	\$4.78	AMERICAN NATIONAL STANDARDS INST	indef	N	2
6515015250236		DISPOSABLE SPECULA 4.25MM, 800 COUNT/BAG	1	PG	31237-010A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015250240		DISPOSABLE SPECULA 2.75MM, 800 COUNT/BAG	1	BX	31237-020A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515013294847		SPECULUM OTOSCOPE SLIT TYPE 4MM SIZE ADULT PLAS 1000s	1	PG	52434	\$19.25	\$19.25	WELCH/ALLYN	N	2	2

ACCESSORIES PACKAGE RESUPPLY

NSN	INCLUDED WITH NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	INCLUDED WITH NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2

PULSE OXIMETER TOC

NONIN MEDICAL INC.

MODEL # 9500

Distributors' PHONE: (540) 662-8000 Fax (800) 590-0081

Website: <http://www.nonin.com>.

AAC "L" ITEM NSN 6515-01-466-0971

UA's: 2256, 2261, 2264, 3256, 3257, 3261, 3264, 3268, 3256, 3257, 3261, 3264, 3265, F301, F308, F309, F310, N301, N308, N309, N310, N313, N513, N713

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$350.00

Features: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place the Nonin 9500 pulse oximeter over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord, 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full TWO-YEAR WARRANTY. Oxygen Sat. Range: 0-100 %

- Pulse Rate Range: 18-300 BPM
- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability



CHARACTERISTICS

Dimensions	Height	1.3"
	Width	1.3"
	length	2.2"
Weight, lbs.	2 ozs	
Operating Temperature	+32° to +122°F	
Operating Humidity	10% to 90 %	
Storage Temperature	-22° to +122°F	
Storage Humidity	10% to 90%	
Power Requirements	1.5 volt AAA Battery	18 hours continuous operation
Operating Altitude	Up to 30,000 feet	

PULSE OXIMETER ACCESSORIES/CONSUMABLES START-UP

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515014981114	1.5 Volt AAA Size Batteries	0040-0062	1	6S/PG	\$4.07	\$4.07	Infusion Dynamics	N	N	2

PATIENT WARMING UNIT, BAIR HUGGER TOC

**AUGUSTINE MEDICAL
BAIR HUGGER W/CASE, MODEL 505
Manufacturer's PHONE: (952) 947-1200, FAX (952) 947-1400
Website: <http://www.arizant.com>**

AAC "L" ITEM NSN 6530-01-463-6823

UA's: 3267, 3912, 4905, 4912, 5267, N301, N308, N309, F301, F308, F309

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$988.00**

System Description: Forced-air warming unit providing safe, quiet and effective warming to patients.

Special Features: Portable, lightweight, unique snap-fit hose for easy blanket attachment. Easily attaches to an IV pole or bedrail.





BAIR HUGGER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	13"
	Width	10"
	Depth	11"
Weight	13.6 lbs	
Operating Temperature	High 109.4° ± 5.4°F Med 100.4° ± 5.4°F LOW 89.6° ± 5.4°F	
Air Flow	28 cu ft/min	
Storage Temperature	-40 to+122°F	
Humidity non-condensing	15 to 90 %	
Power Requirements	120 VAC/60 Hz 9.5 amps, 1100 watts	220 VAC/50 Hz 4.5 amps 1000watts

BAIR HUGGER CONSUMABLES RESUPPLY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6532013875842	Included W/NSN	Blanket Torso	540	1	10/pg	\$122.98	\$122.98	Arizant Medical	N/A	N	2	Optional Item
6532015224921	Included W/NSN	Blanket Full body surgical	610	1	10/pg	\$103.50	\$103.50	Arizant Medical	N/A	N	2	
6532015265337	Included W/NSN	Blanket Surgical Access	570	1	10/pg	\$102.00	\$102.00	Arizant Medical	N/A	N	2	
6532013564851	OPTIONAL	Blanket lower body	525	1	15/pg	\$146.00	\$146.00	Arizant Medical	N/A	N	2	Optional Item
6532013884182	OPTIONAL	Blanket upper body	522	1	10/pg	\$122.88	\$122.88	Arizant Medical	N/A	N	2	Optional Item
6515014636893	Included W/NSN	FILTER	90009	1	EA	\$39.00	\$39.00	Arizant Medical	N/A	N	2	

BAIR HUGGER ACCESSORIES PACKAGE

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
Included w/ NSN	Included W/NSN	HOSE	90003	1	EA	\$63.06	\$63.06	Augustine Medical	N/A	N	2	
6515 015242953	Included W/NSN	HOSE CLIP	90017	1	EA	\$3.90	\$3.90	Augustine Medical	N/A	N	2	
6515 015242947	Included W/NSN	SHEET CLIP	90063	1	EA	\$5.46	\$5.46	Augustine Medical	N/A	N	2	
7610015222841	Included W/NSN	Operator Manual	OPM			N\C	N\C	Augustine Medical	N/A	N	2	
7610015222837	Included W/NSN	Service Manual	OSM	1	EA	N\C	N\C	Augustine Medical	N/A	N	2	
6530015237536	Included W/NSN	Hardened Case	505252	1	EA	\$1500.00	\$1500.00	Augustine Medical	N/A	N	2	

PUMP INTRVENOUS INFUSION 3 CHANNEL **TOC**

**ALARIS
MEDSYSTEM 111
MODEL 2865B**

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: <http://www.alarismed.com>

AAC "W" ITEM NSN 6515-01-381-4456

AAC "J" ITEM NSN 6515-01-486-4310

UA's: 2256, 2257, 3257, 3267, 3912, 4905, 4912, 5267, 5257, 5261, 9300, 9301, 9302, 9303, 9304, 9306, N301, N308, N309, N310, F301, F308, F309, F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$5,704.51

System Description: Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

Advantages: 1. Rapid on-line titration w/o interrupting flow. 2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates. 3. Titration of drugs in either dose or volumetric rate. 4. Streamlined PMCS and calibration processes.





**Administrative Set Piggy Back
(72213N)
NSN 6515014164032 (100 PG)**



**Administrative Set Main Stream Line
(28034)
NSN 6515014348712 (50 PG)**

IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	7.9"
	Width	6.0"
	Depth	2.1"
Weight		3.6 lbs
Internal Battery		Main Rechargeable Nicad Battery, Memory Backup Non-rechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC/60HZ 6 WATTS AC POWER

IV PUMP CONSUMABLES START-UP

NSN	Nomenclature	PN	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11	\$399.11	ALARIS MEDICAL..	Indef	N	2
6515014164032	Administration set		01	100PG	72213N	\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

IV PUMP CONSUMABLES RESUPPLY

NSN	Nomenclature	PN	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11	\$399.11	ALARIS MEDICAL..	Indef	N	2
6515014164032	Administration set		01	100PG	72213N	\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

REFRIGERATOR-FREEZER MECHANICAL FIELD WARD TOC

**MARVEL INDUSTRIES DIV OF NORTHLAND CORP
MODEL # 6CRF**

Manufacturer's PHONE: (765) 962-2521 FAX (765)-962-2493

WEB SITE: www.marvelindustries.com

AAC "W" ITEM NSN 4110-01-180-3420

AAC "J" ITEM NSN 4110-01-425-8009

UA's: 3263, 3723, 3912, 4723, 4905, 4912, 4913, 4914, 9410, F302, F306, F308, F309, F310, N303, N306, N308, N309, N310, N313, N321, N503, N506, N513, N703, N706, N713, N725

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$660.60**

Description: Six cubic foot under counter refrigerator/freezer fits easily under lab benches and casework. Forced air ventilation eliminates need for clearance space in built-in applications. Manual defrost, 5.3 cubic foot refrigerator capacity and .7 cubic foot freezer capacity. Dual voltage capable, carrying handles and olive drab paint scheme.



Characteristics

Overall Dimensions		
	Height	34 in
	Width	23 7/8 in
	Depth	24 in
Weight	120 lbs	
Cubic Ft	17.2 Cu Ft	
Refrigerant	Uses R-134A Refrigerant	
Power Supply	Dual voltage 120/220 VAC 50/60 Hz 320 Watts, 1200 Watt surge	



Temperature Monitor/Alarm

- Provides visual and audible alarm
- Covers -50° C to +50° C range
- May be wall mounted
- 100 hour battery back-up mode shuts down all circuitry except alarms in case of power failure

REFRIGERATOR-FREEZER OPTIONAL ACCESSORY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6685015296385	OPTIONAL ITEM	Temperature Monitor/Alarm	TMAF	1	EA	\$218.00	\$218.00	MARVEL INDUSTRIES	N/A	N	2

**COMPANY IS OUT OF BUSINESS
ITEMS ARE STILL IN STOCK
SINK UNIT SURGICAL SCRUB TOC**

**RAN-PAIGE CO INC
MODEL 0200-96-C-8509**

**AAC “W” ITEM NSN 6530-01-431-9005
AAC “J” ITEM NSN 6530-01-429-6715**

UA’s: 3267, 3724, 4901, 4905, 5267, F301, F304, F306, F308, F309, N301, N303, N305, N306, N 308, N309, N310, N311, N312, N313, N315, N316, N436, N503, N504 N506, N513, N523, N703, N706, N713, N725

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$946.74**

Special Features: Portable and light weight. Consists of a hollow tubular frame support, a plastic polypropylene basin, a pump and a heater, a foot pedal and associated tubing and electrical components. Electrical and water are activated by the foot pedal. The water heater is an encapsulated inline type 1200 to 1300 Watts. The maximum water temperature is 125 degrees. This includes a reusable container.



CHARACTERISTICS

Dimensions	Height	N/A
	Width	N/A
	Depth	N/A
Weight	59 lbs	
Cubic ft	6.16	
Power Requirements	115/230 VAC, 50/60 Hz 1300 Watts	

SUCTION APPARATUS SURGICAL TOC

IMPACT INSTRUMENTATION INC

MODEL # 326M

Manufacturer's PHONE: (973)-882-1212 FAX (973)-882-4993

Website: <http://www.impactii.com>


AAC "W" ITEM NSN 6515-01-460-9174

AAC "J" ITEM NSN 6515-01-435-0050

UA's: 2249, 2256, 2257, 2259, 2261, 2264, 2267, 3249, 3256, 3257, 3261, 3264, 3267, 4905, 5249, 5256, 5257, 5261, 5264, 5267, 9300, 9306, F301, F305, F308, F309, F310, N301, N305, N308, N309, N310, N313, N316, N320, N513, N713

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$1,600.00**

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite[®] vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



IMPACT 326M



IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	11.5"
	Width	9.5"
	Depth	4.87"
Weight	Analyzer	30 lbs, Unit 12 lbs
Operating Temperature		-4° F to 120° F
Humidity	Tested to level required for Air Worthiness	94±4%RH, 85° F±3.6° F (29.5°C±2°C) f/ 4 hrs.
Power Requirements		115/230 V AC, 50-400 HZ, 100 Watts, 2.5 Amps Steady State

IMPACT 326M CONSUMABLES

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014975761	TUBING, SUCTION	358388266148	12	EA	\$4.47	\$53.64	OWENS AND MINOR	N/A	N	2
6515011942187	HYDROPHOBIC FILTER	465-0005-00	6	EA	\$8.28	\$49.68	IMPACT INSTRUMENTS	N/A	N	2
6515015039498	14FR. SUCTION CATHETER	820-0004-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515015039501	18FR. SUCTION CATHETER	820-0005-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515014493193	1200CC DISPOSABLE JAR	410-0004-10	1	10 PK	\$36.90	\$36.90	IMPACT INSTRUMENTS	N/A	N	2
6515014862077	CANISTER ASSY SUCT SURG PLASTIC 2000CC	494410	2	48/EA	\$205.00	\$410.00	MEDLINE INDUSTRIES INC	N/A	N	2
6515014441638	SUCTION AND IRRIGATION ASSEMBLY SURGICAL	207-559	6	PG	\$335.00	\$2,010.00	STRYKER CORP	N/A	N	2

IMPACT 326M ACCESSORIES PACKAGE

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015039456	REUSABLE COLLECTION JAR ASSEMBLY	703-0326-07	1	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS		N	

THERMOMETER KIT, CLINICAL W/CASE TOC

WELCH ALLYN INCORPORATED

MODEL#: 01692-MC

Manufacturer's PHONE: (315) 685-4560 FAX (315) 685-3361

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6515-01-523-9935

UA: 3257, 4268, 4714, 4905, 5256, 5257, 5261, 5264, 5265, F308, F309, F310, N308, N309, N310, N311, N313, N315, N316, N513, N583, N713


USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$639.00

System Description: The digital thermometer is battery operated with interchangeable oral and rectal probes; includes probe case, four (4) boxes of probe covers, with twenty-five (25) per box. The thermometer can be mounted to the wall. There are three (3) extra AA batteries, and it comes in a case with inserts.

Special Features:

1. Provides 4-second oral, 10-second pediatric axillary temperature for children seventeen (17) years and younger, 10-second rectal, and 15-second axillary temperatures (for eighteen (18) years and older).
2. Monitor mode capability for measuring 3-5 minute temperatures
3. Used probe covers may be ejected





**4' Rectal Probe and Well Kit
Part No. 02892-000**



**4' Oral Probe and Well Kit
Part No. 02893-000**



**Sure Temp Plus 692 Thermometer
Part No. 01692-200
NSN 6515-01-525-7595**

CHARACTERISTICS

Dimensions of Case	Length	11"
	Height	5"
	Width	7"
Weight	Lbs	1.9
Cube		.5

THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015225307	INCLUDED W/NSN	Soft Case	49099	1	EA	\$193.00	\$193.00	WELCH ALLYN	N/A	N	2
6515015257595	INCLUDED W/NSN	SureTemp Plus 692 Thermometer w/oral probe and well	01692-200	1	EA	\$215.00	\$215.00	WELCH ALLYN	N/A	N	2
6515015324146	INCLUDED W/NSN	4' Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2
6515015324116	INCLUDED W/NSN	Holder for spare Probe and Well	21330-000	1	EA	\$10.83	\$10.83	WELCH ALLYN	N/A	N	2
See Resupply	INCLUDED W/NSN	3 each Spare Alkaline Batteries (AA)	53009-000	1	EA	\$3.00	\$3.00	WELCH ALLYN	N/A	N	2
6515012031332	INCLUDED W/NSN	Cover Electronic Thermometer Probe Plastic Disposables (1,000s)	05031-101	1	40BX OF 25's	\$21.00	\$21.00	WELCH ALLYN	N/A	N	2

THERMOMETER, CLINICAL KIT CONSUMABLES/ACCESSORIES RESUPPLY

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515012031332	INCLUDED W/NSN	Cover Electronic Thermometer Probe Plastic Disposables (1,000s)	05031-101	1	40BX OF 25's	\$21.00	\$21.00	WELCH ALLYN	N/A	N	2
6135009857845	INCLUDED W/NSN	Alkaline Batteries (AA) (24s)	W-B-101 CL12	1	EA	\$7.52	\$7.52	GSA	N/A	N	2
6515015324146	INCLUDED W/NSN	4' Rectal Probe and Well	02892-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2
6515015331281	INCLUDED W/NSN	4' Oral Probe and Well	02893-000	1	EA	\$54.45	\$54.45	WELCH ALLYN	N/A	N	2

ULTRASONIC UNIT BLOOD FLOW DETECTION DOPPLER TOC

COOPER SURGICAL, INCORPORATED
MODEL # D8

Manufacturer's PHONE: (203) 601-5200 Fax (203) 601-1007

Website: www.coopersurgical.com

AAC "W" ITEM NSN 6515-01-192-9456

AAC "J" ITEM NSN 6515-01-293-5578

UA's: 3267, 5267, N301, N302, N308, N309, F301, F302, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$2,995.00


Features: Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.



CHARACTERISTICS

Dimensions	Height	25.4 cm
	Width	25.4 cm
	Length	12.2 cm
Weight		12 lbs
Operating Temperature		+10C –+ 40C
Operating Humidity		30% - 70%
Storage Temperature		+10C – +40C
Storage Humidity		30% - 70%
Power Requirements		120/130VAC 50/60 HZ

**11.5 cm Pencil
Frequency: 8 MHz**



Pencil Style Probe

ULTRASONIC UNIT BLOOD FLOW DETECTION ACCESSORY

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515014916202	Model P82 Pencil Style Probe	101-0013-010	1	EA	\$1,095.00	\$1,095.00	Cooper Surgical Inc.	Indef	N	3

VENTILATOR VOLUME PORTABLE TOC

IMPACT INSTRUMENTATION INC

MODEL 754M

Manufacturer's PHONE: (973) 882-1212, FAX: (973) 882-4993

Website: <http://www.impactii.com>

AAC "W" ITEM NSN 6530-01-431-5146

AAC "J" ITEM NSN 6530-01-464-0267

**UA's: 2257, 2267, 3257, 3267, 5257, 5267, 9300, 9301, 9302, 9304, 9305, 9306, F308
F309, N308, N309**

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$10,732.56**

Operator Familiarization: CD-ROM is available.


ADVANTAGES



- 1. Interactive Demo/Teaching Mode.**
- 2. Operation Accomplished in as few as 3 steps.**
- 3. Full altitude compensation.**
- 4. Internal PEEP.**
- 5. On-board emergency backup ventilator.**
- 6. Automatic LCD backup lighting.**

754M PORTABLE VENTILATOR SPECIFICATIONS

Dimensions	Height	11.5"	
	Width	8.87"	
	Depth	4.5"	
Weight		13 lbs	
Operating Temperature		-13°F-120° F	
Humidity		5% to 95%	
Power Requirements	Battery, 6VDC, 5 Amp Hours	115/230VAC=/\pm 10%, 50-400HZ 100 WATTS	16-30Volts (DC-DC Converter), neg ground



IMPACT 754M ACCESSORY/CONSUMABLES / START-UP

NSN	INCL.W NSN	Nomenclature	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply	See Resupply	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE	01	EA	820-0067-00			IMPACT INST	Indef	N	2
4720013829231	INCL.W/NSN	HIGH PRESSURE OXYGEN HOSE	01	EA	825-0002-00	\$15.28	\$15.28	IMPACT INST	Indef	N	2
6530015193018	INCL.W/NSN	HIGH PRESSURE AIR HOSE	01	EA	825-0004-00	\$25.63	\$25.63	IMPACT INST	Indef	N	2
6130014688360	INCL.W/NSN	UNIVERSAL AC POWER SUPPLY	01	EA	703-0754-09	\$625.50	\$625.50	IMPACT INST	Indef	N	2
6530015192814	INCL.W/NSN	12 VDC POWER CABLE	01	EA	703-0754-03	\$123.98	\$123.98	IMPACT INST	Indef	N	2
6545015190169	INCL.W/NSN	CASE, PADDED	01	EA	402-0014-00	\$150.00	\$150.00	IMPACT INST	Indef	N	2
6515015097331	INCL.W/NSN	STRAP, VELCO 24 IN. LONG	02	EA	334-0020-00	\$20.00	\$40.00	IMPACT INST	Indef	N	2
7610015189213	INCL.W/NSN	MANUAL-OPERATION/SERVICE	02	EA	906-0754-02	\$50.00	\$50.00	IMPACT INST	Indef	N	2
7610015220841	OPTIONAL	INSTRUCTIONAL VIDEO	01	EA	903-0754-02	\$15.00	\$15.00	IMPACT INST	Indef	N	2
	INCL.W/NSN	INSTRUCTIONAL VIDEO CD FORMAT	01	EA	909-0754-04	N/C	N/C	IMPACT INST	Indef	N	2
6515015045417	In The UA	HCH, ADULT FILTERED BACT/VIRAL	2	25/ PG	003005	\$66.82	\$133.64	IMPACT INST	Indef	N	2

IMPACT 754M COMSUMABLES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015045417	HCH, ADULT FILTERED BACT/VIRAL	2	25pg	003005	\$66.82	\$133.64	IMPACT INST	Indef	N	2
6530015185060	OXYGEN RESERVOIR KIT	1	EA	820-097-15	\$189.00	\$189.00	IMPACT INST	Indef	N	2
6515014661195	VENTILATOR CIRCUIT DISPOSABLE/SINGLE PATIENT USE	1	15/PG	820-0067-15	\$80.00	\$80.00	IMPACT INST	Indef	N	2